

Title	IMDG Code 2016 / SUPPLEMENT / IMO/ILO/UNECE Guidelines for Packing Cargo Transport Units / ANNEX 2
Effective Date	1-1-2012
Invalid from	1-1-2014
Note	Incorporating Amendment 35-10

ANNEX 2

Labels, placards, marks and signs*

* These relate to Amendments 30-00 and later of the IMDG Code. These Guidelines are under review. Users should refer to chapters 5.2 and 5.3 of Amendment 34-08 to the IMDG Code for the correct labels, placards, marks and signs.

Hazard labels and placards

Labels of class

1



The appropriate division number and compatibility group are to be placed in the "*" and "*" locations for divisions 1.1, 1.2 and 1.3, e.g. **1.1 D**. The appropriate compatibility group is to be placed in the "*" location, e.g. **D** or **N**. For goods of class 1 in division 1.4, compatibility group S, each package may alternatively be marked **1.4 S**.

Labels of class

2



Class 2.1



Class 2.2



Class 2.3

Label of class

3



Labels of class

4



Class 4.1



Class 4.2



Class 4.3

Labels of class

5



Class 5.1



Class 5.2

Labels of class

6



Class 6.1



Class 6.2

Labels of class
7



Category I



Category II



Category III



Class 7 fissile material



Label of class
8




Label of class
9



UN Number on cargo transport units
ALTERNATIVE 1



ALTERNATIVE 2



* Location of class number
** Location of UN number




The MARINE POLLUTANT mark




The ELEVATED TEMPERATURE mark

The FUMIGATION WARNING sign



* Insert details as appropriate

Warning label for dry ice or other expendable refrigerant used for cooling purposes



Note: The text under "WARNING" should refer to the refrigerant gas used.